

SCHEDULE VII-A (As per MSR 2016)*** Minimum essential requirements for department of Rachana Sharir**

S. No.	Equipment and Instruments	Up to 60 intake capacity	61 to 100 intake capacity	Available	Deficiency
Essential					
1	Tank with a capacity to preserve 2-4 bodies.	Assorted	Assorted	Assorted	
2	Machines for b1s and brain sectioning	Assorted	Assorted	Assorted	
3	Dissection Sets	15	25	15	
4	Dissecting Table				
a)	Full size with steel top or marble top stainless	4	6	04	
b)	Half size with steel top or marble top stainless	8	10		
General					
	X-ray viewing box or panels	3	3	3	
Miscellaneous					
	Bone cutter of the number $\frac{3}{4}$, $\frac{1}{2}$, $\frac{1}{4}$, $\frac{1}{8}$ - fine pointed Chisel bone dissector	Assorted	Assorted	Assorted	
	Glass jars of different sizes	Assorted	Assorted	Assorted	
	Preservative Chemicals	Assorted	Assorted	Assorted	



(Signature)
Principal

Dr. Deepak Patil Ayurvedic Medical College
& Research Center, Borpadale Phata, Tal. Panhala,
Dist. Kolhapur-416 213

Signature of Member

Signature of Member

Signature of Chairman